



FASTENING PRODUCTS

**Professional Electronic
Component Manufacturer**





Sugo Products
www.sugo.com.hk



PLASTIC RIVETS

Page 4-7



MOUNTING BUTTON

Page 8-9



PLASTIC THUMB SCREWS

Page 10-11



PLASTIC SCREWS

Page 12-21



PLASTIC ACCESSORIES

Page 22-23

PLASTIC BLIND RIVET

MAIN APPLICATIONS

- Vehicle manufacturing and body work
- Assembly of plastic furniture or sundries and various household appliance
- Install attachments to a case of electronic appliance
- Install metal attachment to binder files
- To assemble things made of paper with a supporting wide washer
- Install accessories or attachments of toy vehicles
- Assembly of plastic sign boards
- Installation of inscription or indication plates
- Ideal for a place unable to use a pad plate in the black blind.

TOOLS FOR INSTALLATION

- **Hand -Riveter-** for rivet Dia. range between 2mm and 8mm.
- **Pneumatic-Riveter-** Rivet Dia. larger than 6mm

CAUTIONS

• Temperature Resistance

The strength rapidly declines exceeding the point of 70 degrees Celsius. Recommended to use Heat resistant material for those situations.

• Limit of strength

The table below shows the destructive strength in the room temperature at 25 degrees Celsius.

Please refer to the strength data on the table below for particular use




SPECIFICATIONS

• Materials

Rivet: Nylon 6UL 94-V2

Mandrel: Polycarbonate UL 94-V2

• Flange Design and Dimensions



Part-no.	Mounting Hole Dia.	Panel Thickness	D	L	H	T	A	Tensile Strength	Shear Strength
90301001	3.3	1.0~3.5	3.2	6.4	6.4	1.4	2.1	12 kg	20 kg
90301002	3.3	3.5~6.5	3.2	9.6	6.4	1.4	2.1	12 kg	20 kg
90301003	3.3	6.9~9.5	3.2	12.7	6.4	1.4	2.1	12 kg	20 kg
90301004	4.1	1.0~3.5	4.0	6.4	8.0	1.8	2.4	18 kg	25 kg
90301005	4.1	3.5~6.0	4.0	9.6	8.0	1.8	2.4	18 kg	25 kg
90301006	4.1	6.0~9.0	4.0	12.7	8.0	1.8	2.4	18 kg	25 kg
90301007	4.9	1.5~4.5	4.8	8.0	9.6	2.0	2.8	28 kg	40 kg
90301008	4.9	4.5~7.5	4.8	11.2	9.6	2.0	2.8	28 kg	40 kg
90301009	4.9	7.5~10.5	4.8	14.4	9.6	2.0	2.8	28 kg	40 kg
90301010	5.7	2.0~5.0	5.6	9.6	12.0	2.2	3.4	40 kg	65 kg
90301011	5.7	5.0~8.0	5.6	12.7	12.0	2.2	3.4	40 kg	65 kg
90301012	5.7	8.0~11.5	5.6	15.9	12.0	2.2	3.4	40 kg	65 kg

NYLON SNAP RIVET



Material: Nylon 66 (UL)
Flame Class: 94V-2
Color : Black


Nylon Snap Rivet is designed for assemblies requiring fast and economical fasteners that can be installed without tools.

The 2 Piece Molded Fastener comes assembled ready for use. The Rivet is placed in the hole and the smooth, oversized head is to be pressed. The specially designed legs expand and firmly lock the components permanently in place.


Snap Rivets are molded in high dielectric(UL 94V-2) Nylon 6/6 making them ideal for electronic applications.

The following standard sizes are available from stock, other sizes will be tooled on request.

Parts are stocked in Black and White, other colors available upon request.



Flat Head Type Snap Rivet



Part-no.	ØA1(mm)	A2(mm)	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
90302001	2.1	0.6~1.2	4.8	1.2	2.4	2.0	2.8
90302002	2.1	1.3~2.0	4.8	1.2	3.2	2.0	3.8
90302003	2.1	2.1~2.8	4.8	1.2	4.0	2.0	5.5
90302004	2.1	2.9~3.6	4.8	1.2	4.8	2.0	5.5
90302005	2.1	3.7~4.4	4.8	1.2	5.6	2.0	7.2
90302006	2.1	4.5~5.2	4.8	1.2	6.4	2.0	7.2
90302007	2.7	1.0~2.0	5.0	1.4	3.2	2.6	4.6
90302008	2.7	2.1~3.0	5.0	1.4	4.2	2.6	4.6
90302009	2.7	2.7~3.6	5.0	1.4	4.8	2.6	6.2
90302010	2.7	3.4~4.3	5.0	1.4	5.5	2.6	6.2
90302011	2.7	4.3~5.2	5.0	1.4	6.4	2.6	7.8
90302012	2.7	5.1~6.0	5.0	1.4	7.2	2.6	7.8
90302013	3.1	1.0~2.0	6.4	1.6	3.5	3.0	5.1
90302014	3.1	2.0~3.0	6.4	1.6	4.5	3.0	6.1
90302015	3.1	3.0~4.0	6.4	1.6	5.5	3.0	6.1
90302016	3.1	4.0~5.0	6.4	1.6	6.5	3.0	7.1
90302017	3.1	5.0~6.0	6.4	1.6	7.5	3.0	9.0
90302018	3.1	5.5~6.5	6.4	1.6	8.0	3.0	9.0
90302019	3.1	6.5~7.5	6.4	1.6	9.0	3.0	11.0
90302020	3.1	7.5~8.5	6.4	1.6	10.0	3.0	11.0
90302021	3.1	11.5~13.0	6.4	1.6	14.5	3.0	15.5
90302022	3.1	20.5~21.5	6.4	1.6	23.0	3.0	24.0
90302023	3.6	1.1~2.1	6.4	1.6	3.5	3.5	5.1
90302024	3.6	2.2~3.1	6.4	1.6	4.5	3.5	6.1
90302025	3.6	2.7~3.6	6.4	1.6	5.0	3.5	6.1
90302026	3.6	3.2~4.1	6.4	1.6	5.5	3.5	7.1
90302027	3.6	3.7~4.6	6.4	1.6	6.0	3.5	7.1
90302028	3.6	4.7~5.6	6.4	1.6	7.0	3.5	9.0
90302029	3.6	5.7~6.6	6.4	1.6	8.0	3.5	9.0
90302030	4.1	2.5~3.5	8.0	1.8	5.0	4.0	7.1
90302031	4.1	3.5~4.5	8.0	1.8	6.0	4.0	7.1
90302032	4.1	4.5~5.5	8.0	1.8	7.0	4.0	9.0
90302033	4.1	5.5~6.5	8.0	1.8	8.0	4.0	9.0
90302034	4.1	6.5~7.5	8.0	1.8	9.0	4.0	11.0
90302035	4.1	7.5~8.5	8.0	1.8	10.0	4.0	11.0
90302036	4.1	9.0~10.5	8.0	1.8	12.0	4.0	14.0
90302037	4.1	12.5~14.0	8.0	1.8	15.0	4.0	16.6
90302038	5.1	1.5~2.5	9.0	2.2	4.5	5.0	6.5
90302039	5.1	2.5~3.5	9.0	2.2	5.5	5.0	6.5
90302040	5.1	3.5~4.5	9.0	2.2	6.5	5.0	8.5
90302041	5.1	4.5~5.5	9.0	2.2	7.5	5.0	8.5
90302042	5.1	5.5~6.5	9.0	2.2	8.5	5.0	10.5
90302043	5.1	6.5~7.5	9.0	2.2	9.5	5.0	10.5
90302044	5.1	7.5~8.5	9.0	2.2	10.5	5.0	12.0
90302045	6.1	2.5~4.0	12.0	2.5	6.0	6.0	9.0
90302046	6.1	4.0~5.5	12.0	3.0	8.0	6.0	10.0




Part-no.	Hole Ø D (mm)	A (mm)	B (mm)	Chasis Thickness	E (mm)
90302047	3.0	8.3	6.5	5.1~5.3	1.3
90302048	4.0	6.4	6.5	3.5~3.9	0.7
90302049	4.0	8.4	6.5	4.3~5.6	0.8
90302050	4.0	7.3	5.8	5.7~6.0	0.9
90302051	4.0	10.4	6.5	6.8~8.8	0.8
90302052	3.9	15.0	6.5	12.0~13.0	1.5
90302053	4.0	6.2	6.5	3.5~4.9	0.8

PLUNGER PANEL LATCH

- Reusable panel fastener
- Easy to assemble and dismantle
- Push and pull head to snap in and out
- No tools required for installation
- Non-conductive and non-corrosive material



MATERIALS

- Male Material: Nylon 66 (UL)
Flame Class: 94V-2
- Female Material: PC (UL)
Flame Class: 94V-2





Part-no.	T	G	HOLE A	HOLE B	L	W	H
90303001	1.8~2.0	3.4~4.8	Ø6.0	Ø6.4	9.2	8.5	15.3
90303002	2.1	3.0~4.8	Ø6.0	Ø6.4	9.2	8.5	18.2
90303003	2.5	4.5~4.8	Ø6.25	Ø6.4	9.6	8.5	19.3
90303004	1.6	2.7~3.6	Ø6.1	Ø6.3	8.6	8.5	17.5
90303005	2.0	3.6~4.0	Ø6.1	Ø6.4	9.2	8.5	17.5
90303006	1.8~2.0	3.4~4.0	Ø6.0	Ø6.4	9.2	8.5	18.2
90303007	3.9	7.7~8.2	Ø6.0	Ø6.4	11.3	8.5	20.2
90303008	1.5	3.8~4.6	Ø7.6	Ø8.0	9.9	10.8	18.2
90303009	2.5	3.0~5.2	Ø7.6	Ø8.0	10.4	10.8	18.7

EASY GRIP



Part-no.	T	G	HOLE A	HOLE B	C	D	L	W
90303010	1.5	3.4~4.8	Ø7.6	Ø8.0	4.6	15.8	9.9	10.8
90303011	1.6	3.0~4.8	Ø7.6	Ø8.0	4.6	15.6	9.0	10.9
90303012	1.6	4.5~4.8	Ø7.6	Ø8.0	4.6	15.8	9.0	10.9
90303013	1.6	2.7~3.6	Ø7.6	Ø8.0	4.6	16.0	9.8	10.7
90303014	2.4	3.6~4.0	Ø7.6	Ø8.0	5.0	16.0	9.9	10.5

LOW PROFILE




Part-no.	T	G	HOLE A	HOLE B	L	W	H
90303015	1.8~2.0	3.4~4.0	Ø6.0	Ø6.4	9.2	8.5	14.0

COOLING FAN SNAP RIVET




- Ideal for mounting fans to a chassis or Finger guard to a fan
- easy to assemble and dismantle
- No tools required for installation




Male Material: Nylon 66(UL)
Flame Class:94V-2

Female Material: Nylon 66(UL)
Flame Class:94V-2



Part-no.	A	C	D
90304001	8.9	Ø3.1	2.5~3.2
90304002	10.0	Ø3.2	4.2~4.5
90304003	12.3	Ø4.3	5.6~6.4
90304004	10.8	Ø4.5	5.6~6.4
90304005	10.8	Ø4.6	5.6~6.0
90304006	10.7	Ø4.65	5.2~5.7




Male Material: Nylon 66(UL)
Flame Class:94V-2

Female Material: PU
Flame Class:94V-2

Part-no.	A CHASSIS THICKNESS	B HOLE IN CHASSIS	C HOLE IN FAN	D FAN CHASSIS THICKNESS
90304006	0.8	Ø4.6	Ø4.45	4.3~4.5
90304007	0.8	Ø4.6	Ø4.45	4.5~4.7


*SHOCK-ABSORB SERIES



Male Material: Nylon 66(UL)
Flame Class:94V-2
Color: Black/Grey


Female Material: TPE / TPR
Flame Class:94V-2

Part-no.	A CHASSIS THICKNESS	B HOLE IN CHASSIS	C HOLE IN FAN	D FAN CHASSIS THICKNESS
90304008	1.0	Ø5.0	Ø4.45	4.0~4.2




Part-no.	A	B HOLE IN CHASSIS	C CHASSIS THICKNESS
90304009	13.5	Ø3.6	8.1~8.3

90304010





90304911




MOUNTING BUTTON

- Easy to assemble and dismantle
- Single operation front mounting
- No tools required for installation
- Non-conductive and non-corrosive material




Material :Nylon 66 (UL)
Flame Class:94V-2
Color :White/Black


Part-no.	A	B	C CHASSIS THICKNESS	D HOLE IN CHASSIS
90305001	9.7	Ø7.4	2.0~3.5	Ø3.0~3.2
90305002	9.7	Ø6.8	1.1~1.7	Ø3.1~3.2
90305003	6.2	Ø6.9	1.6~2.0	Ø2.95~3.0
90305004	6.8	Ø7.0	1.6~1.9	Ø3.15~3.2
90305005	7.2	Ø7.0	1.5~2.1	Ø3.1~3.2
90305006	10.3	Ø7.9	3.5~4.0	Ø3.5~3.7
90305007	10.3	Ø7.8	2.8~3.8	Ø3.2~3.4
90305008	12.4	Ø7.7	3.2~5.0	Ø3.7~3.8
90305009	12.9	Ø10.0	2.1~3.7	Ø3.9~4.05
90305010	9.0	Ø6.0	2.5~3.5	Ø3.8~4.0
90305011	10.9	Ø10.0	1.6~2.1	Ø3.2~3.25
90305012	13.2	Ø12.7	2.5~3.5	Ø4.0~4.05
90305013	11.1	Ø9.5	2.5~4.0	Ø4.2~4.5
90305014	12.0	Ø7.4	1.6~2.1	Ø3.3~3.4




Part-no.	A	B	C	D
90305015	7.4	Ø4.8	2.4~2.7	Ø2.37
90305016	15.4	Ø9.0	4.3~4.8	Ø4.5
90305017	14.7	Ø12.0	0.7~1.2	Ø5.0



Part-no.	A	B	C	D
90305018	8.6	Ø5.8	2.8~3.0	Ø3.2~3.3




Part-no.	A	B	C
90305019	7.6	Ø7.0	2.2




Part-no.	A	B	C	D
90305020	10.7	Ø6.0	4.65	Ø3.5

MOUNTING BUTTON


Material :Nylon 66 (UL)
Flame Class:94V-2
Color :White/Black




Part-no.	A	B	D	E	F
90305021	2.1	4.0	Ø5.54	Ø11.7	1.3
90305022	3.1	4.1	Ø5.54	Ø11.7	1.3
90305023	4.4	4.7	Ø6.9	Ø11.7	1.3
90305024	5.8	3.9	Ø5.54	Ø11.7	1.3
90305025	2.7	3.3	Ø5.0	Ø8.0	0.5




Part-no.	A	B	C	D
90305026	9.2	Ø6.2	3.5	Ø3.0
90305027	10.3	Ø6.0	4.6	Ø3.5
90305028	12.6	Ø5.1	7.5	Ø3.0



Part-no.	A	B HOLE IN CHASSIS	C CHASSIS	D
90305029	15.7	Ø3.2	10.5~11.5	Ø5.8
90305030	11.0	Ø2.7	9.0~9.5	Ø5.6
90305031	15.5	Ø2.7	10.7~11.2	Ø5.6



Part-no.	A	B HOLE IN CHASSIS	C CHASSIS
90305032	15.1	Ø3.5	16.2~16.8




Part-no.	A	B HOLE IN CHASSIS	C CHASSIS	D	E	F
90305033	18.6	Ø3.4	18.8~19.5	Ø4.4	Ø4.7	1.1
90305034	26.0	Ø4.5	26.2~26.8	Ø5.4	Ø6.0	1.1
90305035	21.0	Ø4.4	21.2~21.8	Ø6.0	Ø6.0	1.0
90305036	17.6	Ø4.2	17.8~18.4	Ø7.4	Ø7.4	1.2
90305037	15.3	Ø4.5	15.8~16.2	Ø7.4	Ø7.4	1.2

Male Material: Nylon 66(UL)
Female Material: PU
Color: Black


PLASTIC THUMB SCREWS

- Easy fastening and fixing
- Convenient to drive by hand, no tools required
- Matching design can be picked for a good outlook
- Plastic screwheads ensure electrical insulation




Screw Head Material: ABS
Screw Material: Copper
Screw Color: Black

PART NO	A	B	C	D
PSC-0510B	ø20.5	7.0	12.0	M5
PSC-0520B	ø20.5	7.0	20.0	M5




Screw Head Material: Nylon66(UL)
Screw Material: Alloy Brass
Screw Color: White/ Grey/ Black

PART NO	A	B	C	D
PSC-SW406	ø8.3	6.0	6.4	M4
PSC-SW408	ø8.3	8.0	6.4	M4



Screw Head Material: ABS
Screw Material: Alloy Brass
Screw Color: Grey


PART NO	A	B	C	D
PSC-SW516	ø12.8	10.3	5.7	M5
PSC-UN610	ø12.8	9.0	5.7	#6-32



Screw Head Material: Nylon66(UL)
Screw Material: Alloy Brass
Screw Color: Black/ Grey


PART NO	A	B	C	D	THREAD SIZE
PSC-0310A	10	5	ø9	ø11	M3
PSC-0510A	10	10	ø18	ø20	M5

PLASTIC THUMB SCREWS



Material: Nylon / PC

PART NO	A	B	C	D	THREAD SIZE
PSW-0515	24.9	ø10.0	6.0	15	M5
PSW-0520	24.9	ø10.0	6.0	20	M5
PSW-0525	24.9	ø10.0	6.0	25	M5
PSW-0615	31.4	ø11.0	8.0	15	M6
PSW-0620	31.4	ø11.0	8.0	20	M6




Screw Head Material: Nylon 66(UL)

Screw Material: Alloy Brass

Screw Head Color: Black

PART NO	A	B	C	D	THREAD SIZE
PSC-423C	ø10.5	15	5.0	23.0	M4
PSC-523C	ø10.5	15	5.0	23.0	M5




Screw Head Material: ABS

Screw Material: Brass

Screw Head Color : Grey

PART NO	A	B	C	D
PSC-0425A	12	10	8	25
PSC-0455A	12	10	8	45

PSC-TCM05




Screw Head Material: Nylon 66/ ABS/PC

Screw Material: Alloy Brass / Copper / Steel

Screw Head Color: Black / Red / Green / Yellow / Blue

PSC-MK001



Screw Head Material: ABS / Nylon 66

Screw Material: Copper / Brass


Screw Head Color: Black

PLASTIC SCREWS

Phillips Pan Metric Machine Screws

Material: Nylon 66

Standard Color: Natural/Black




Part-no.	Thread size	A(mm)	B(mm)	L(mm)
90306001	M2 x 0.4	3.7~4.0	1.4~1.6	4.0
90306002	M2 x 0.4	3.7~4.0	1.4~1.6	5.0
90306003	M2 x 0.4	3.7~4.0	1.4~1.6	6.0
90306004	M2 x 0.4	3.7~4.0	1.4~1.6	8.0
90306005	M2 x 0.4	3.7~4.0	1.4~1.6	10.0
90306006	M2 x 0.4	3.7~4.0	1.4~1.6	12.0
90306007	M2 x 0.4	3.7~4.0	1.4~1.6	16.0
90306008	M2 x 0.4	3.7~4.0	1.4~1.6	20.0
90306009	M2 x 0.4	3.7~4.0	1.4~1.6	25.0
90306010	M2.5 x 0.45	4.7~5.0	1.9~2.1	4.0
90306011	M2.5 x 0.45	4.7~5.0	1.9~2.1	5.0
90306012	M2.5 x 0.45	4.7~5.0	1.9~2.1	6.0
90306013	M2.5 x 0.45	4.7~5.0	1.9~2.1	8.0
90306014	M2.5 x 0.45	4.7~5.0	1.9~2.1	10.0
90306015	M2.5 x 0.45	4.7~5.0	1.9~2.1	12.0
90306016	M2.5 x 0.45	4.7~5.0	1.9~2.1	16.0
90306017	M2.5 x 0.45	4.7~5.0	1.9~2.1	20.0
90306018	M2.5 x 0.45	4.7~5.0	1.9~2.1	25.0
90306019	M3 x 0.5	5.3~5.6	2.2~2.4	3.0
90306020	M3 x 0.5	5.3~5.6	2.2~2.4	4.0
90306021	M3 x 0.5	5.3~5.6	2.2~2.4	5.0
90306022	M3 x 0.5	5.3~5.6	2.2~2.4	6.0
90306023	M3 x 0.5	5.3~5.6	2.2~2.4	8.0
90306024	M3 x 0.5	5.3~5.6	2.2~2.4	10.0
90306025	M3 x 0.5	5.3~5.6	2.2~2.4	12.0
90306026	M3 x 0.5	5.3~5.6	2.2~2.4	16.0
90306027	M3 x 0.5	5.3~5.6	2.2~2.4	20.0
90306028	M3 x 0.5	5.3~5.6	2.2~2.4	25.0
90306029	M3 x 0.5	5.3~5.6	2.2~2.4	30.0
90306030	M3 x 0.5	5.3~5.6	2.2~2.4	35.0
90306031	M3 x 0.5	5.3~5.6	2.2~2.4	42.0
90306032	M3.5 x 0.6	6.6~7.0	2.3~2.6	5.0
90306033	M3.5 x 0.6	6.6~7.0	2.3~2.6	6.0
90306034	M3.5 x 0.6	6.6~7.0	2.3~2.6	7.0
90306035	M3.5 x 0.6	6.6~7.0	2.3~2.6	8.0
90306036	M3.5 x 0.6	6.6~7.0	2.3~2.6	10.0
90306037	M3.5 x 0.6	6.6~7.0	2.3~2.6	12.0
90306038	M3.5 x 0.6	6.6~7.0	2.3~2.6	16.0
90306039	M3.5 x 0.6	6.6~7.0	2.3~2.6	20.0
90306040	M3.5 x 0.6	6.6~7.0	2.3~2.6	25.0
90306041	M3.5 x 0.6	6.6~7.0	2.3~2.6	35.0
90306042	M3.5 x 0.6	6.6~7.0	2.3~2.6	42.0

Phillips Pan Metric Machine Screws

Material: Nylon 66

Standard Color: Natural/Black




Part-no.	Thread size	A(mm)	B(mm)	L(mm)
90306043	M4 x 0.7	7.6~8.0	2.8~3.1	3.0
90306044	M4 x 0.7	7.6~8.0	2.8~3.1	6.0
90306045	M4 x 0.7	7.6~8.0	2.8~3.1	8.0
90306046	M4 x 0.7	7.6~8.0	2.8~3.1	10.0
90306047	M4 x 0.7	7.6~8.0	2.8~3.1	12.0
90306048	M4 x 0.7	7.6~8.0	2.8~3.1	16.0
90306049	M4 x 0.7	7.6~8.0	2.8~3.1	20.0
90306050	M4 x 0.7	7.6~8.0	2.8~3.1	25.0
90306051	M4 x 0.7	7.6~8.0	2.8~3.1	30.0
90306052	M4 x 0.7	7.6~8.0	2.8~3.1	35.0
90306053	M4 x 0.7	7.6~8.0	2.8~3.1	40.0
90306054	M5 x 0.8	9.1~9.5	3.4~3.7	3.0
90306055	M5 x 0.8	9.1~9.5	3.4~3.7	6.0
90306056	M5 x 0.8	9.1~9.5	3.4~3.7	8.0
90306057	M5 x 0.8	9.1~9.5	3.4~3.7	10.0
90306058	M5 x 0.8	9.1~9.5	3.4~3.7	12.0
90306059	M5 x 0.8	9.1~9.5	3.4~3.7	16.0
90306060	M5 x 0.8	9.1~9.5	3.4~3.7	20.0
90306061	M5 x 0.8	9.1~9.5	3.4~3.7	25.0
90306062	M5 x 0.8	9.1~9.5	3.4~3.7	30.0
90306063	M5 x 0.8	9.1~9.5	3.4~3.7	35.0
90306064	M6 x 1.0	11.5~12.0	4.3~4.6	40.0
90306065	M6 x 1.0	11.5~12.0	4.3~4.6	5.0
90306066	M6 x 1.0	11.5~12.0	4.3~4.6	8.0
90306067	M6 x 1.0	11.5~12.0	4.3~4.6	10.0
90306068	M6 x 1.0	11.5~12.0	4.3~4.6	12.0
90306069	M6 x 1.0	11.5~12.0	4.3~4.6	16.0
90306070	M6 x 1.0	11.5~12.0	4.3~4.6	20.0
90306071	M6 x 1.0	11.5~12.0	4.3~4.6	22.0
90306072	M6 x 1.0	11.5~12.0	4.3~4.6	25.0
90306073	M6 x 1.0	11.5~12.0	4.3~4.6	30.0
90306074	M6 x 1.0	11.5~12.0	4.3~4.6	35.0
90306075	M6 x 1.0	11.5~12.0	4.3~4.6	40.0
90306076	M6 x 1.0	11.5~12.0	4.3~4.6	45.0
90306077	M6 x 1.0	11.5~12.0	4.3~4.6	50.0
90306078	M6 x 1.0	11.5~12.0	4.3~4.6	60.0
90306079	M6 x 1.0	11.5~12.0	4.3~4.6	70.0
90306080	M6 x 1.0	11.5~12.0	4.3~4.6	75.0
90306081	M10 x 1.5	19.4~20.0	7.1~7.5	13.0
90306082	M10 x 1.5	19.4~20.0	7.1~7.5	16.0
90306083	M10 x 1.5	19.4~20.0	7.1~7.5	19.0
90306084	M10 x 1.5	19.4~20.0	7.1~7.5	20.0
90306085	M10 x 1.5	19.4~20.0	7.1~7.5	25.0
90306086	M10 x 1.5	19.4~20.0	7.1~7.5	30.0
90306087	M10 x 1.5	19.4~20.0	7.1~7.5	35.0
90306088	M10 x 1.5	19.4~20.0	7.1~7.5	50.0
90306089	M10 x 1.5	19.4~20.0	7.1~7.5	70.0

PLASTIC SCREWS

Phillips Pan Screws


Material: Nylon 66
Standard Color: Natural/Black



Part-no.	Thread size	A(inch)	B(inch)	L(inch)
90306090	#4 - 40	.205 ~ .219	.070 ~ .080	0.250
90306091	#4 - 40	.205 ~ .219	.070 ~ .080	0.281
90306092	#4 - 40	.205 ~ .219	.070 ~ .080	0.375
90306093	#4 - 40	.205 ~ .219	.070 ~ .080	0.500
90306094	#6 - 32	.256 ~ .270	.087 ~ .097	0.250
90306095	#6 - 32	.256 ~ .270	.087 ~ .097	0.375
90306096	#6 - 32	.256 ~ .270	.087 ~ .097	0.500
90306097	#6 - 32	.256 ~ .270	.087 ~ .097	0.625
90306098	#6 - 32	.256 ~ .270	.087 ~ .097	0.750
90306099	#8 - 32	.306 ~ .322	.105 ~ .115	0.125
90306100	#8 - 32	.306 ~ .322	.105 ~ .115	0.250
90306101	#8 - 32	.306 ~ .322	.105 ~ .115	0.375
90306102	#8 - 32	.306 ~ .322	.105 ~ .115	0.500
90306103	#8 - 32	.306 ~ .322	.105 ~ .115	0.625
90306104	#8 - 32	.306 ~ .322	.105 ~ .115	0.750
90306105	#10 - 32	.357 ~ .373	.122 ~ .133	0.250
90306106	#10 - 32	.357 ~ .373	.122 ~ .133	0.375
90306107	#10 - 32	.357 ~ .373	.122 ~ .133	0.500
90306108	#10 - 32	.357 ~ .373	.122 ~ .133	0.625
90306109	#10 - 32	.357 ~ .373	.122 ~ .133	0.750
90306110	#10 - 32	.357 ~ .373	.122 ~ .133	1.000

Slotted Pan Screw


Material: Nylon 66
Standard Color: Natural/Black



Part-no.	Thread size	A(inch)	B(inch)	L(inch)
90307001	#4 - 40	.205 ~ .219	0.58 ~ 0.68	0.094
90307002	#4 - 40	.205 ~ .219	0.58 ~ 0.68	0.125
90307003	#4 - 40	.205 ~ .219	0.58 ~ 0.68	0.141
90307004	#4 - 40	.205 ~ .219	0.58 ~ 0.68	0.187
90307005	#4 - 40	.205 ~ .219	0.58 ~ 0.68	0.250
90307006	#4 - 40	.205 ~ .219	0.58 ~ 0.68	0.281
90307007	#4 - 40	.205 ~ .219	0.58 ~ 0.68	0.312
90307008	#4 - 40	.205 ~ .219	0.58 ~ 0.68	0.375
90307009	#4 - 40	.205 ~ .219	0.58 ~ 0.68	0.437
90307010	#4 - 40	.205 ~ .219	0.58 ~ 0.68	0.500
90307011	#4 - 40	.205 ~ .219	0.58 ~ 0.68	0.562
90307012	#4 - 40	.205 ~ .219	0.58 ~ 0.68	0.625
90307013	#4 - 40	.205 ~ .219	0.58 ~ 0.68	0.687
90307014	#4 - 40	.205 ~ .219	0.58 ~ 0.68	0.750
90307015	#4 - 40	.205 ~ .219	0.58 ~ 0.68	0.875
90307016	#4 - 40	.205 ~ .219	0.58 ~ 0.68	1.000
90307017	#4 - 40	.205 ~ .219	0.58 ~ 0.68	1.125
90307018	#4 - 40	.205 ~ .219	0.58 ~ 0.68	1.187
90307019	#4 - 40	.205 ~ .219	0.58 ~ 0.68	1.250
90307020	#4 - 40	.205 ~ .219	0.58 ~ 0.68	1.375
90307021	#4 - 40	.205 ~ .219	0.58 ~ 0.68	1.500
90307022	#4 - 40	.205 ~ .219	0.58 ~ 0.68	1.625
90307023	#4 - 40	.205 ~ .219	0.58 ~ 0.68	1.750

Slotted Pan Screw


Material: Nylon 66
Standard Color: Natural/Black



Part-no.	Thread size	A(inch)	B(inch)	L(inch)
90307024	#6 - 32	.256 ~ .270	0.72 ~ 0.82	0.094
90307025	#6 - 32	.256 ~ .270	0.72 ~ 0.82	0.125
90307026	#6 - 32	.256 ~ .270	0.72 ~ 0.82	0.156
90307027	#6 - 32	.256 ~ .270	0.72 ~ 0.82	0.187
90307028	#6 - 32	.256 ~ .270	0.72 ~ 0.82	0.250
90307029	#6 - 32	.256 ~ .270	0.72 ~ 0.82	0.312
90307030	#6 - 32	.256 ~ .270	0.72 ~ 0.82	0.375
90307031	#6 - 32	.256 ~ .270	0.72 ~ 0.82	0.437
90307032	#6 - 32	.256 ~ .270	0.72 ~ 0.82	0.500
90307033	#6 - 32	.256 ~ .270	0.72 ~ 0.82	0.562
90307034	#6 - 32	.256 ~ .270	0.72 ~ 0.82	0.625
90307035	#6 - 32	.256 ~ .270	0.72 ~ 0.82	0.687
90307036	#6 - 32	.256 ~ .270	0.72 ~ 0.82	0.750
90307037	#6 - 32	.256 ~ .270	0.72 ~ 0.82	0.875
90307038	#6 - 32	.256 ~ .270	0.72 ~ 0.82	1.000
90307039	#6 - 32	.256 ~ .270	0.72 ~ 0.82	1.125
90307040	#6 - 32	.256 ~ .270	0.72 ~ 0.82	1.250
90307041	#6 - 32	.256 ~ .270	0.72 ~ 0.82	1.500
90307042	#6 - 32	.256 ~ .270	0.72 ~ 0.82	1.625
90307043	#6 - 32	.256 ~ .270	0.72 ~ 0.82	1.750
90307044	#6 - 32	.256 ~ .270	0.72 ~ 0.82	1.875
90307045	#6 - 32	.256 ~ .270	0.72 ~ 0.82	2.000
90307046	#6 - 32	.256 ~ .270	0.72 ~ 0.82	2.250
90307047	#6 - 40	.256 ~ .270	0.72 ~ 0.82	0.250
90307048	#6 - 40	.256 ~ .270	0.72 ~ 0.82	0.375
90307049	#6 - 40	.256 ~ .270	0.72 ~ 0.82	0.750
90307050	#6 - 40	.256 ~ .270	0.72 ~ 0.82	1.000

Slotted Pan Screw

Material: Nylon 66
Standard Color: Natural/Black




Part-no.	Thread size	A(inch)	B(inch)	L(inch)
90307051	#8 - 32	.306 ~ .322	0.85 ~ 0.96	0.125
90307052	#8 - 32	.306 ~ .322	0.85 ~ 0.96	0.187
90307053	#8 - 32	.306 ~ .322	0.85 ~ 0.96	0.250
90307054	#8 - 32	.306 ~ .322	0.85 ~ 0.96	0.281
90307055	#8 - 32	.306 ~ .322	0.85 ~ 0.96	0.312
90307056	#8 - 32	.306 ~ .322	0.85 ~ 0.96	0.375
90307057	#8 - 32	.306 ~ .322	0.85 ~ 0.96	0.437
90307058	#8 - 32	.306 ~ .322	0.85 ~ 0.96	0.500
90307059	#8 - 32	.306 ~ .322	0.85 ~ 0.96	0.625
90307060	#8 - 32	.306 ~ .322	0.85 ~ 0.96	0.750
90307061	#8 - 32	.306 ~ .322	0.85 ~ 0.96	0.875
90307062	#8 - 32	.306 ~ .322	0.85 ~ 0.96	1.000
90307063	#8 - 32	.306 ~ .322	0.85 ~ 0.96	1.125
90307064	#8 - 32	.306 ~ .322	0.85 ~ 0.96	1.250
90307065	#8 - 32	.306 ~ .322	0.85 ~ 0.96	1.375
90307066	#8 - 32	.306 ~ .322	0.85 ~ 0.96	1.500
90307067	#8 - 32	.306 ~ .322	0.85 ~ 0.96	1.750
90307068	#8 - 32	.306 ~ .322	0.85 ~ 0.96	1.875
90307069	#8 - 32	.306 ~ .322	0.85 ~ 0.96	2.000
90307070	#10 - 24	.357 ~ .373	0.99 ~ 0.110	0.125
90307071	#10 - 24	.357 ~ .373	0.99 ~ 0.110	0.187
90307072	#10 - 24	.357 ~ .373	0.99 ~ 0.110	0.250
90307073	#10 - 24	.357 ~ .373	0.99 ~ 0.110	0.312
90307074	#10 - 24	.357 ~ .373	0.99 ~ 0.110	0.375
90307075	#10 - 24	.357 ~ .373	0.99 ~ 0.110	0.500
90307076	#10 - 24	.357 ~ .373	0.99 ~ 0.110	0.625
90307077	#10 - 24	.357 ~ .373	0.99 ~ 0.110	0.750
90307078	#10 - 24	.357 ~ .373	0.99 ~ 0.110	1.000
90307079	#10 - 24	.357 ~ .373	0.99 ~ 0.110	1.250
90307080	#10 - 24	.357 ~ .373	0.99 ~ 0.110	1.500

PLASTIC SCREWS

Metric Slotted Pan Machine Screws

Material: Nylon 66

Standard Color: Natural/Black




Part-no.	Thread size	A(mm)	B(mm)	L(mm)
90307081	M2 x 0.4	3.7~4.0	1.4~1.6	4.0
90307082	M2 x 0.4	3.7~4.0	1.4~1.6	5.0
90307083	M2 x 0.4	3.7~4.0	1.4~1.6	6.0
90307084	M2 x 0.4	3.7~4.0	1.4~1.6	8.0
90307085	M2 x 0.4	3.7~4.0	1.4~1.6	10.0
90307086	M2 x 0.4	3.7~4.0	1.4~1.6	12.0
90307087	M2 x 0.4	3.7~4.0	1.4~1.6	16.0
90307088	M2 x 0.4	3.7~4.0	1.4~1.6	20.0
90307089	M2 x 0.4	3.7~4.0	1.4~1.6	25.0
90307090	M2.5 x 0.45	4.7~5.0	1.9~2.1	4.0
90307091	M2.5 x 0.45	4.7~5.0	1.9~2.1	5.0
90307092	M2.5 x 0.45	4.7~5.0	1.9~2.1	6.0
90307093	M2.5 x 0.45	4.7~5.0	1.9~2.1	8.0
90307094	M2.5 x 0.45	4.7~5.0	1.9~2.1	10.0
90307095	M2.5 x 0.45	4.7~5.0	1.9~2.1	12.0
90307096	M2.5 x 0.45	4.7~5.0	1.9~2.1	16.0
90307097	M2.5 x 0.45	4.7~5.0	1.9~2.1	20.0
90307098	M2.5 x 0.45	4.7~5.0	1.9~2.1	25.0
90307099	M3 x 0.5	5.3~5.6	2.2~2.4	3.0
90307100	M3 x 0.5	5.3~5.6	2.2~2.4	4.0
90307101	M3 x 0.5	5.3~5.6	2.2~2.4	5.0
90307102	M3 x 0.5	5.3~5.6	2.2~2.4	6.0
90307103	M3 x 0.5	5.3~5.6	2.2~2.4	8.0
90307104	M3 x 0.5	5.3~5.6	2.2~2.4	10.0
90307105	M3 x 0.5	5.3~5.6	2.2~2.4	12.0
90307106	M3 x 0.5	5.3~5.6	2.2~2.4	16.0
90307107	M3 x 0.5	5.3~5.6	2.2~2.4	20.0
90307108	M3 x 0.5	5.3~5.6	2.2~2.4	25.0
90307109	M3 x 0.5	5.3~5.6	2.2~2.4	30.0
90307110	M3 x 0.5	5.3~5.6	2.2~2.4	35.0
90307111	M3 x 0.5	5.3~5.6	2.2~2.4	42.0
90307112	M3.5 x 0.6	6.6~7.0	2.3~2.6	5.0
90307113	M3.5 x 0.6	6.6~7.0	2.3~2.6	6.0
90307114	M3.5 x 0.6	6.6~7.0	2.3~2.6	7.0
90307115	M3.5 x 0.6	6.6~7.0	2.3~2.6	8.0
90307116	M3.5 x 0.6	6.6~7.0	2.3~2.6	10.0
90307117	M3.5 x 0.6	6.6~7.0	2.3~2.6	12.0
90307118	M3.5 x 0.6	6.6~7.0	2.3~2.6	16.0
90307119	M3.5 x 0.6	6.6~7.0	2.3~2.6	20.0
90307120	M3.5 x 0.6	6.6~7.0	2.3~2.6	25.0
90307121	M3.5 x 0.6	6.6~7.0	2.3~2.6	35.0
90307122	M3.5 x 0.6	6.6~7.0	2.3~2.6	42.0

Metric Slotted Pan Machine Screws

Material: Nylon 66

Standard Color: Natural/Black




Part-no.	Thread size	A(mm)	B(mm)	L(mm)
90307123	M4 x 0.7	7.6~8.0	2.8~3.1	3.0
90307124	M4 x 0.7	7.6~8.0	2.8~3.1	6.0
90307125	M4 x 0.7	7.6~8.0	2.8~3.1	8.0
90307126	M4 x 0.7	7.6~8.0	2.8~3.1	10.0
90307127	M4 x 0.7	7.6~8.0	2.8~3.1	12.0
90307128	M4 x 0.7	7.6~8.0	2.8~3.1	16.0
90307129	M4 x 0.7	7.6~8.0	2.8~3.1	20.0
90307130	M4 x 0.7	7.6~8.0	2.8~3.1	25.0
90307131	M4 x 0.7	7.6~8.0	2.8~3.1	30.0
90307132	M4 x 0.7	7.6~8.0	2.8~3.1	35.0
90307133	M4 x 0.7	7.6~8.0	2.8~3.1	40.0
90307134	M5 x 0.8	9.1~9.5	3.4~3.7	3.0
90307135	M5 x 0.8	9.1~9.5	3.4~3.7	6.0
90307136	M5 x 0.8	9.1~9.5	3.4~3.7	8.0
90307137	M5 x 0.8	9.1~9.5	3.4~3.7	10.0
90307138	M5 x 0.8	9.1~9.5	3.4~3.7	12.0
90307139	M5 x 0.8	9.1~9.5	3.4~3.7	16.0
90307140	M5 x 0.8	9.1~9.5	3.4~3.7	20.0
90307141	M5 x 0.8	9.1~9.5	3.4~3.7	25.0
90307142	M5 x 0.8	9.1~9.5	3.4~3.7	30.0
90307143	M5 x 0.8	9.1~9.5	3.4~3.7	35.0
90307144	M5 x 0.8	9.1~9.5	3.4~3.7	40.0
90307145	M6 x 1.0	11.5~12.0	4.3~4.6	5.0
90307146	M6 x 1.0	11.5~12.0	4.3~4.6	8.0
90307147	M6 x 1.0	11.5~12.0	4.3~4.6	10.0
90307148	M6 x 1.0	11.5~12.0	4.3~4.6	12.0
90307149	M6 x 1.0	11.5~12.0	4.3~4.6	16.0
90307150	M6 x 1.0	11.5~12.0	4.3~4.6	20.0
90307151	M6 x 1.0	11.5~12.0	4.3~4.6	22.0
90307152	M6 x 1.0	11.5~12.0	4.3~4.6	25.0
90307153	M6 x 1.0	11.5~12.0	4.3~4.6	30.0
90307154	M6 x 1.0	11.5~12.0	4.3~4.6	35.0
90307155	M6 x 1.0	11.5~12.0	4.3~4.6	40.0
90307156	M6 x 1.0	11.5~12.0	4.3~4.6	45.0
90307157	M6 x 1.0	11.5~12.0	4.3~4.6	50.0
90307158	M6 x 1.0	11.5~12.0	4.3~4.6	60.0
90307159	M6 x 1.0	11.5~12.0	4.3~4.6	70.0
90307160	M6 x 1.0	11.5~12.0	4.3~4.6	75.0
90307161	M10 x 1.5	19.4~20.0	7.1~7.5	13.0
90307162	M10 x 1.5	19.4~20.0	7.1~7.5	16.0
90307163	M10 x 1.5	19.4~20.0	7.1~7.5	19.0
90307164	M10 x 1.5	19.4~20.0	7.1~7.5	20.0
90307165	M10 x 1.5	19.4~20.0	7.1~7.5	25.0
90307166	M10 x 1.5	19.4~20.0	7.1~7.5	30.0
90307167	M10 x 1.5	19.4~20.0	7.1~7.5	35.0
90307168	M10 x 1.5	19.4~20.0	7.1~7.5	50.0
90307169	M10 x 1.5	19.4~20.0	7.1~7.5	70.0

PLASTIC SCREWS

Round Slotted Machine Screws


Material: Nylon 66
Standard Color: Natural/Black



Part-no.	Thread size	A(inch)	B(inch)	L(inch)
90308001	#4 - 40	.193 ~ .211	0.075 ~ 0.086	0.094
90308002	#4 - 40	.193 ~ .211	0.075 ~ 0.086	0.125
90308003	#4 - 40	.193 ~ .211	0.075 ~ 0.086	0.141
90308004	#4 - 40	.193 ~ .211	0.075 ~ 0.086	0.187
90308005	#4 - 40	.193 ~ .211	0.075 ~ 0.086	0.250
90308006	#4 - 40	.193 ~ .211	0.075 ~ 0.086	0.281
90308007	#4 - 40	.193 ~ .211	0.075 ~ 0.086	0.312
90308008	#4 - 40	.193 ~ .211	0.075 ~ 0.086	0.375
90308009	#4 - 40	.193 ~ .211	0.075 ~ 0.086	0.437
90308010	#4 - 40	.193 ~ .211	0.075 ~ 0.086	0.500
90308011	#4 - 40	.193 ~ .211	0.075 ~ 0.086	0.562
90308012	#4 - 40	.193 ~ .211	0.075 ~ 0.086	0.625
90308013	#4 - 40	.193 ~ .211	0.075 ~ 0.086	0.687
90308014	#4 - 40	.193 ~ .211	0.075 ~ 0.086	0.750
90308015	#4 - 40	.193 ~ .211	0.075 ~ 0.086	0.875
90308016	#4 - 40	.193 ~ .211	0.075 ~ 0.086	1.000
90308017	#4 - 40	.193 ~ .211	0.075 ~ 0.086	1.125
90308018	#4 - 40	.193 ~ .211	0.075 ~ 0.086	1.187
90308019	#4 - 40	.193 ~ .211	0.075 ~ 0.086	1.250
90308020	#4 - 40	.193 ~ .211	0.075 ~ 0.086	1.375
90308021	#4 - 40	.193 ~ .211	0.075 ~ 0.086	1.500
90308022	#4 - 40	.193 ~ .211	0.075 ~ 0.086	1.625
90308023	#4 - 40	.193 ~ .211	0.075 ~ 0.086	1.750

Round Slotted Machine Screws


Material: Nylon 66
Standard Color: Natural/Black



Part-no.	Thread size	A(inch)	B(inch)	L(inch)
90308024	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	0.094
90308025	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	0.125
90308026	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	0.156
90308027	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	0.187
90308028	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	0.250
90308029	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	0.312
90308030	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	0.375
90308031	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	0.437
90308032	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	0.500
90308033	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	0.562
90308034	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	0.625
90308035	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	0.687
90308036	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	0.750
90308037	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	0.875
90308038	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	1.000
90308039	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	1.125
90308040	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	1.250
90308041	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	1.500
90308042	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	1.625
90308043	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	1.750
90308044	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	1.875
90308045	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	2.000
90308046	#4 - 40	0.24 ~ 0.26	0.091 ~ 0.103	2.250
90308047	#6 - 40	0.24 ~ 0.26	0.091 ~ 0.103	0.250
90308048	#6 - 40	0.24 ~ 0.26	0.091 ~ 0.103	0.375
90308049	#6 - 40	0.24 ~ 0.26	0.091 ~ 0.103	0.750
90308050	#6 - 40	0.24 ~ 0.26	0.091 ~ 0.103	1.000

Round Slotted Machine Screws


Material: Nylon 66
Standard Color: Natural/Black



Part-no.	Thread size	A(inch)	B(inch)	L(inch)
90308051	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	0.125
90308052	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	0.187
90308053	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	0.250
90308054	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	0.281
90308055	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	0.312
90308056	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	0.375
90308057	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	0.437
90308058	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	0.500
90308059	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	0.625
90308060	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	0.750
90308061	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	0.875
90308062	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	1.000
90308063	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	1.125
90308064	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	1.250
90308065	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	1.375
90308066	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	1.500
90308067	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	1.750
90308068	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	1.875
90308069	#8 - 32	0.24 ~ 0.26	0.091 ~ 0.103	2.000

Round Slotted Machine Screws

Material: Nylon 66
Standard Color: Natural/Black



Part-no.	Thread size	A(inch)	B(inch)	L(inch)
90308070	#10 - 24	.343 ~ .359	0.123 ~ 0.137	0.125
90308071	#10 - 24	.343 ~ .359	0.123 ~ 0.137	0.187
90308072	#10 - 24	.343 ~ .359	0.123 ~ 0.137	0.250
90308073	#10 - 24	.343 ~ .359	0.123 ~ 0.137	0.312
90308074	#10 - 24	.343 ~ .359	0.123 ~ 0.137	0.375
90308075	#10 - 24	.343 ~ .359	0.123 ~ 0.137	0.500
90308076	#10 - 24	.343 ~ .359	0.123 ~ 0.137	0.625
90308077	#10 - 24	.343 ~ .359	0.123 ~ 0.137	0.750
90308078	#10 - 24	.343 ~ .359	0.123 ~ 0.137	1.000
90308079	#10 - 32	.343 ~ .359	0.123 ~ 0.137	0.187
90308080	#10 - 32	.343 ~ .359	0.123 ~ 0.137	0.250
90308081	#10 - 32	.343 ~ .359	0.123 ~ 0.137	0.312
90308082	#10 - 32	.343 ~ .359	0.123 ~ 0.137	0.375
90308083	#10 - 32	.343 ~ .359	0.123 ~ 0.137	0.437
90308084	#10 - 32	.343 ~ .359	0.123 ~ 0.137	0.500
90308085	#10 - 32	.343 ~ .359	0.123 ~ 0.137	0.625
90308086	#10 - 32	.343 ~ .359	0.123 ~ 0.137	0.750
90308087	#10 - 32	.343 ~ .359	0.123 ~ 0.137	0.875
90308088	#10 - 32	.343 ~ .359	0.123 ~ 0.137	1.000
90308089	#10 - 32	.343 ~ .359	0.123 ~ 0.137	1.250
90308090	#10 - 32	.343 ~ .359	0.123 ~ 0.137	1.500
90308091	#10 - 32	.343 ~ .359	0.123 ~ 0.137	1.625
90308092	#10 - 32	.343 ~ .359	0.123 ~ 0.137	1.750
90308093	#10 - 32	.343 ~ .359	0.123 ~ 0.137	2.000




PLASTIC SCREWS

Metric Philips Flat Machine Screws

Material: Nylon 66

Standard Color: Natural/Black




Part-no.	Thread size	A(mm)	B(mm)	L(mm)
90309001	M2 x 0.45	4.4~5.5	1.5 max.	4.0
90309002	M2 x 0.45	4.4~5.5	1.5 max.	5.0
90309003	M2 x 0.45	4.4~5.5	1.5 max.	6.0
90309004	M2 x 0.45	4.4~5.5	1.5 max.	8.0
90309005	M2 x 0.45	4.4~5.5	1.5 max.	10.0
90309006	M2 x 0.45	4.4~5.5	1.5 max.	12.0
90309007	M2 x 0.45	4.4~5.5	1.5 max.	16.0
90309008	M2 x 0.45	4.4~5.5	1.5 max.	20.0
90309009	M2 x 0.45	4.4~5.5	1.5 max.	25.0
90309010	M3 x 0.5	5.2~6.3	1.7 max.	3.0
90309011	M3 x 0.5	5.2~6.3	1.7 max.	4.0
90309012	M3 x 0.5	5.2~6.3	1.7 max.	5.0
90309013	M3 x 0.5	5.2~6.3	1.7 max.	6.0
90309014	M3 x 0.5	5.2~6.3	1.7 max.	8.0
90309015	M3 x 0.5	5.2~6.3	1.7 max.	10.0
90309016	M3 x 0.5	5.2~6.3	1.7 max.	12.0
90309017	M3 x 0.5	5.2~6.3	1.7 max.	16.0
90309018	M3 x 0.5	5.2~6.3	1.7 max.	20.0
90309019	M3 x 0.5	5.2~6.3	1.7 max.	25.0
90309020	M3 x 0.5	5.2~6.3	1.7 max.	30.0
90309021	M3 x 0.5	5.2~6.3	1.7 max.	35.0
90309022	M3 x 0.5	5.2~6.3	1.7 max.	42.0
90309023	M3.5 x 0.6	6.9~8.2	2.3 max.	5.0
90309024	M3.5 x 0.6	6.9~8.2	2.3 max.	6.0
90309025	M3.5 x 0.6	6.9~8.2	2.3 max.	7.0
90309026	M3.5 x 0.6	6.9~8.2	2.3 max.	8.0
90309027	M3.5 x 0.6	6.9~8.2	2.3 max.	10.0
90309028	M3.5 x 0.6	6.9~8.2	2.3 max.	12.0
90309029	M3.5 x 0.6	6.9~8.2	2.3 max.	16.0
90309030	M3.5 x 0.6	6.9~8.2	2.3 max.	20.0
90309031	M3.5 x 0.6	6.9~8.2	2.3 max.	25.0
90309032	M3.5 x 0.6	6.9~8.2	2.3 max.	35.0
90309033	M3.5 x 0.6	6.9~8.2	2.3 max.	42.0
90309034	M4 x 0.7	8.0~9.4	2.7 max.	3.0
90309035	M4 x 0.7	8.0~9.4	2.7 max.	6.0
90309036	M4 x 0.7	8.0~9.4	2.7 max.	8.0
90309037	M4 x 0.7	8.0~9.4	2.7 max.	10.0
90309038	M4 x 0.7	8.0~9.4	2.7 max.	12.0
90309039	M4 x 0.7	8.0~9.4	2.7 max.	16.0
90309040	M4 x 0.7	8.0~9.4	2.7 max.	20.0
90309041	M4 x 0.7	8.0~9.4	2.7 max.	25.0
90309042	M4 x 0.7	8.0~9.4	2.7 max.	30.0
90309043	M4 x 0.7	8.0~9.4	2.7 max.	35.0
90309044	M4 x 0.7	8.0~9.4	2.7 max.	40.0

Metric Philips Flat Machine Screws

Material: Nylon 66

Standard Color: Natural/Black



Part-no.	Thread size	A(mm)	B(mm)	L(mm)
90309045	M5 x 0.8	8.9~10.4	2.7 max.	6.0
90309046	M5 x 0.8	8.9~10.4	2.7 max.	8.0
90309047	M5 x 0.8	8.9~10.4	2.7 max.	10.0
90309048	M5 x 0.8	8.9~10.4	2.7 max.	12.0
90309049	M5 x 0.8	8.9~10.4	2.7 max.	15.0
90309050	M5 x 0.8	8.9~10.4	2.7 max.	16.0
90309051	M5 x 0.8	8.9~10.4	2.7 max.	20.0
90309052	M5 x 0.8	8.9~10.4	2.7 max.	25.0
90309053	M5 x 0.8	8.9~10.4	2.7 max.	30.0
90309054	M5 x 0.8	8.9~10.4	2.7 max.	35.0
90309055	M5 x 0.8	8.9~10.4	2.7 max.	40.0
90309056	M6 x 1.0	10.9~12.3	3.3 max.	5.0
90309057	M6 x 1.0	10.9~12.3	3.3 max.	8.0
90309058	M6 x 1.0	10.9~12.3	3.3 max.	10.0
90309059	M6 x 1.0	10.9~12.3	3.3 max.	12.0
90309060	M6 x 1.0	10.9~12.3	3.3 max.	16.0
90309061	M6 x 1.0	10.9~12.3	3.3 max.	20.0
90309062	M6 x 1.0	10.9~12.3	3.3 max.	22.0
90309063	M6 x 1.0	10.9~12.3	3.3 max.	25.0
90309064	M6 x 1.0	10.9~12.3	3.3 max.	30.0
90309065	M6 x 1.0	10.9~12.3	3.3 max.	35.0
90309066	M6 x 1.0	10.9~12.3	3.3 max.	40.0
90309067	M6 x 1.0	10.9~12.3	3.3 max.	45.0
90309068	M6 x 1.0	10.9~12.3	3.3 max.	50.0
90309069	M6 x 1.0	10.9~12.3	3.3 max.	60.0
90309070	M6 x 1.0	10.9~12.3	3.3 max.	70.0
90309071	M6 x 1.0	10.9~12.3	3.3 max.	75.0
90309072	M8 x 1.25	15.4~17.3	4.6 max.	10.0
90309073	M8 x 1.25	15.4~17.3	4.6 max.	16.0
90309074	M8 x 1.25	15.4~17.3	4.6 max.	20.0
90309075	M8 x 1.25	15.4~17.3	4.6 max.	25.0
90309076	M8 x 1.25	15.4~17.3	4.6 max.	30.0
90309077	M8 x 1.25	15.4~17.3	4.6 max.	50.0
90309078	M10 x 1.5	17.8~20.0	5.0 max.	20.0
90309079	M10 x 1.5	17.8~20.0	5.0 max.	25.0
90309080	M10 x 1.5	17.8~20.0	5.0 max.	35.0




PLASTIC SCREWS

Metric Slotted Flat Machine Screws

Material: Nylon 66

Standard Color: Natural/Black




Part-no.	Thread size	A(mm)	B(mm)	L(mm)
90310001	M2 x 0.4	3.5~4.4	1.2 max.	4.0
90310002	M2 x 0.4	3.5~4.4	1.2 max.	5.0
90310003	M2 x 0.4	3.5~4.4	1.2 max.	6.0
90310004	M2 x 0.4	3.5~4.4	1.2 max.	8.0
90310005	M2 x 0.4	3.5~4.4	1.2 max.	10.0
90310006	M2 x 0.4	3.5~4.4	1.2 max.	12.0
90310007	M2 x 0.4	3.5~4.4	1.2 max.	16.0
90310008	M2 x 0.4	3.5~4.4	1.2 max.	20.0
90310009	M2 x 0.4	3.5~4.4	1.2 max.	25.0
90310010	M2.5 x 0.45	4.4~5.5	1.5 max.	4.0
90310011	M2.5 x 0.45	4.4~5.5	1.5 max.	5.0
90310012	M2.5 x 0.45	4.4~5.5	1.5 max.	6.0
90310013	M2.5 x 0.45	4.4~5.5	1.5 max.	8.0
90310014	M2.5 x 0.45	4.4~5.5	1.5 max.	10.0
90310015	M2.5 x 0.45	4.4~5.5	1.5 max.	12.0
90310016	M2.5 x 0.45	4.4~5.5	1.5 max.	16.0
90310017	M2.5 x 0.45	4.4~5.5	1.5 max.	20.0
90310018	M2.5 x 0.45	4.4~5.5	1.5 max.	25.0
90310019	M3 x 0.5	5.2~6.3	1.7 max.	3.0
90310020	M3 x 0.5	5.2~6.3	1.7 max.	4.0
90310021	M3 x 0.5	5.2~6.3	1.7 max.	5.0
90310022	M3 x 0.5	5.2~6.3	1.7 max.	6.0
90310023	M3 x 0.5	5.2~6.3	1.7 max.	8.0
90310024	M3 x 0.5	5.2~6.3	1.7 max.	10.0
90310025	M3 x 0.5	5.2~6.3	1.7 max.	12.0
90310026	M3 x 0.5	5.2~6.3	1.7 max.	16.0
90310027	M3 x 0.5	5.2~6.3	1.7 max.	20.0
90310028	M3 x 0.5	5.2~6.3	1.7 max.	25.0
90310029	M3 x 0.5	5.2~6.3	1.7 max.	30.0
90310030	M3 x 0.5	5.2~6.3	1.7 max.	35.0
90310031	M3 x 0.5	5.2~6.3	1.7 max.	42.0
90310032	M3.5 x 0.6	6.9~8.2	2.3 max.	5.0
90310033	M3.5 x 0.6	6.9~8.2	2.3 max.	6.0
90310034	M3.5 x 0.6	6.9~8.2	2.3 max.	7.0
90310035	M3.5 x 0.6	6.9~8.2	2.3 max.	8.0
90310036	M3.5 x 0.6	6.9~8.2	2.3 max.	10.0
90310037	M3.5 x 0.6	6.9~8.2	2.3 max.	12.0
90310038	M3.5 x 0.6	6.9~8.2	2.3 max.	16.0
90310039	M3.5 x 0.6	6.9~8.2	2.3 max.	20.0
90310040	M3.5 x 0.6	6.9~8.2	2.3 max.	25.0
90310041	M3.5 x 0.6	6.9~8.2	2.3 max.	35.0
90310042	M3.5 x 0.6	6.9~8.2	2.3 max.	42.0

Metric Slotted Flat Machine Screws

Material: Nylon 66

Standard Color: Natural/Black




Part-no.	Thread size	A(mm)	B(mm)	L(mm)
90310043	M5 x 0.8	8.9~10.4	3.3 max.	6.0
90310044	M5 x 0.8	8.9~10.4	3.3 max.	8.0
90310045	M5 x 0.8	8.9~10.4	3.3 max.	10.0
90310046	M5 x 0.8	8.9~10.4	3.3 max.	12.0
90310047	M5 x 0.8	8.9~10.4	3.3 max.	15.0
90310048	M5 x 0.8	8.9~10.4	3.3 max.	16.0
90310049	M5 x 0.8	8.9~10.4	3.3 max.	20.0
90310050	M5 x 0.8	8.9~10.4	3.3 max.	25.0
90310051	M5 x 0.8	8.9~10.4	3.3 max.	30.0
90310052	M5 x 0.8	8.9~10.4	3.3 max.	35.0
90310053	M5 x 0.8	8.9~10.4	3.3 max.	40.0
90310054	M6 x 1.0	10.0	3.9 max.	5.0
90310055	M6 x 1.0	10.0	3.9 max.	8.0
90310056	M6 x 1.0	10.0	3.9 max.	10.0
90310057	M6 x 1.0	10.0	3.9 max.	12.0
90310058	M6 x 1.0	10.0	3.9 max.	16.0
90310059	M6 x 1.0	10.0	3.9 max.	20.0
90310060	M6 x 1.0	10.0	3.9 max.	22.0
90310061	M6 x 1.0	10.0	3.9 max.	25.0
90310062	M6 x 1.0	10.0	3.9 max.	30.0
90310063	M6 x 1.0	10.0	3.9 max.	35.0
90310064	M6 x 1.0	10.0	3.9 max.	40.0
90310065	M6 x 1.0	10.0	3.9 max.	45.0
90310066	M6 x 1.0	10.0	3.9 max.	50.0
90310067	M6 x 1.0	10.0	3.9 max.	60.0
90310068	M6 x 1.0	10.0	3.9 max.	70.0
90310069	M6 x 1.0	10.0	3.9 max.	75.0
90310070	M8 x 1.25	13.0	5.0 max.	13.0
90310071	M8 x 1.25	13.0	5.0 max.	16.0
90310072	M8 x 1.25	13.0	5.0 max.	19.0
90310073	M8 x 1.25	13.0	5.0 max.	20.0
90310074	M8 x 1.25	13.0	5.0 max.	25.0
90310075	M8 x 1.25	13.0	5.0 max.	30.0
90310076	M8 x 1.25	13.0	5.0 max.	35.0
90310077	M8 x 1.25	13.0	5.0 max.	50.0
90310078	M8 x 1.25	13.0	5.0 max.	70.0
90310079	M10 x 1.5	15.6	6.0 max.	13.0
90310080	M10 x 1.5	15.6	6.0 max.	16.0
90310081	M10 x 1.5	15.6	6.0 max.	19.0
90310082	M10 x 1.5	15.6	6.0 max.	20.0
90310083	M10 x 1.5	15.6	6.0 max.	25.0
90310084	M10 x 1.5	15.6	6.0 max.	30.0
90310085	M10 x 1.5	15.6	6.0 max.	35.0
90310086	M10 x 1.5	15.6	6.0 max.	50.0
90310087	M10 x 1.5	15.6	6.0 max.	70.0

PLASTIC SCREWS

Metric Slotted Cheese Machine Screws

Material: Nylon 66

Standard Color: Natural/Black




Part-no.	Thread size	A(mm)	B(mm)	L(mm)
90311054	M5 x 0.8	8.9 ~10.4	3.3 max.	6.0
90311055	M5 x 0.8	8.9 ~10.4	3.3 max.	8.0
90311056	M5 x 0.8	8.9 ~10.4	3.3 max.	10.0
90311057	M5 x 0.8	8.9 ~10.4	3.3 max.	12.0
90311058	M5 x 0.8	8.9 ~10.4	3.3 max.	15.0
90311059	M5 x 0.8	8.9 ~10.4	3.3 max.	16.0
90311060	M5 x 0.8	8.9 ~10.4	3.3 max.	20.0
90311061	M5 x 0.8	8.9 ~10.4	3.3 max.	25.0
90311062	M5 x 0.8	8.9 ~10.4	3.3 max.	30.0
90311063	M5 x 0.8	8.9 ~10.4	3.3 max.	35.0
90311064	M5 x 0.8	8.9 ~10.4	3.3 max.	40.0
90311065	M6 x 1.0	10.0	3.9 max.	5.0
90311066	M6 x 1.0	10.0	3.9 max.	8.0
90311067	M6 x 1.0	10.0	3.9 max.	10.0
90311068	M6 x 1.0	10.0	3.9 max.	12.0
90311069	M6 x 1.0	10.0	3.9 max.	16.0
90311070	M6 x 1.0	10.0	3.9 max.	20.0
90311071	M6 x 1.0	10.0	3.9 max.	22.0
90311072	M6 x 1.0	10.0	3.9 max.	25.0
90311073	M6 x 1.0	10.0	3.9 max.	30.0
90311074	M6 x 1.0	10.0	3.9 max.	35.0
90311075	M6 x 1.0	10.0	3.9 max.	40.0
90311076	M6 x 1.0	10.0	3.9 max.	45.0
90311077	M6 x 1.0	10.0	3.9 max.	50.0
90311078	M6 x 1.0	10.0	3.9 max.	60.0
90311079	M6 x 1.0	10.0	3.9 max.	70.0
90311080	M6 x 1.0	10.0	3.9 max.	75.0
90311081	M8 x 1.25	13.0	5.0 max.	13.0
90311082	M8 x 1.25	13.0	5.0 max.	16.0
90311083	M8 x 1.25	13.0	5.0 max.	19.0
90311084	M8 x 1.25	13.0	5.0 max.	20.0
90311085	M8 x 1.25	13.0	5.0 max.	25.0
90311086	M8 x 1.25	13.0	5.0 max.	30.0
90311087	M8 x 1.25	13.0	5.0 max.	35.0
90311088	M8 x 1.25	13.0	5.0 max.	50.0
90311089	M8 x 1.25	13.0	5.0 max.	70.0
90311090	M10 x 1.5	15.6	6.0 max.	13.0
90311091	M10 x 1.5	15.6	6.0 max.	16.0
90311092	M10 x 1.5	15.6	6.0 max.	19.0
90311093	M10 x 1.5	15.6	6.0 max.	20.0
90311094	M10 x 1.5	15.6	6.0 max.	25.0
90311095	M10 x 1.5	15.6	6.0 max.	30.0
90311096	M10 x 1.5	15.6	6.0 max.	35.0
90311097	M10 x 1.5	15.6	6.0 max.	50.0
90311098	M10 x 1.5	15.6	6.0 max.	70.0

Metric Slotted Cheese Machine Screws

Material: Nylon 66

Standard Color: Natural/Black




Part-no.	Thread size	A(mm)	B(mm)	L(mm)
90311099	M5 x 0.8	8.9 ~10.4	3.3 max.	6.0
90311100	M5 x 0.8	8.9 ~10.4	3.3 max.	8.0
90311101	M5 x 0.8	8.9 ~10.4	3.3 max.	10.0
90311102	M5 x 0.8	8.9 ~10.4	3.3 max.	12.0
90311103	M5 x 0.8	8.9 ~10.4	3.3 max.	15.0
90311104	M5 x 0.8	8.9 ~10.4	3.3 max.	16.0
90311105	M5 x 0.8	8.9 ~10.4	3.3 max.	20.0
90311106	M5 x 0.8	8.9 ~10.4	3.3 max.	25.0
90311107	M5 x 0.8	8.9 ~10.4	3.3 max.	30.0
90311108	M5 x 0.8	8.9 ~10.4	3.3 max.	35.0
90311109	M5 x 0.8	8.9 ~10.4	3.3 max.	40.0
90311110	M6 x 1.0	10.0	3.9 max.	5.0
90311111	M6 x 1.0	10.0	3.9 max.	8.0
90311112	M6 x 1.0	10.0	3.9 max.	10.0
90311113	M6 x 1.0	10.0	3.9 max.	12.0
90311114	M6 x 1.0	10.0	3.9 max.	16.0
90311115	M6 x 1.0	10.0	3.9 max.	20.0
90311116	M6 x 1.0	10.0	3.9 max.	22.0
90311117	M6 x 1.0	10.0	3.9 max.	25.0
90311118	M6 x 1.0	10.0	3.9 max.	30.0
90311119	M6 x 1.0	10.0	3.9 max.	35.0
90311120	M6 x 1.0	10.0	3.9 max.	40.0
90311121	M6 x 1.0	10.0	3.9 max.	45.0
90311122	M6 x 1.0	10.0	3.9 max.	50.0
90311123	M6 x 1.0	10.0	3.9 max.	60.0
90311124	M6 x 1.0	10.0	3.9 max.	70.0
90311125	M6 x 1.0	10.0	3.9 max.	75.0
90311126	M8 x 1.25	13.0	5.0 max.	13.0
90311127	M8 x 1.25	13.0	5.0 max.	16.0
90311128	M8 x 1.25	13.0	5.0 max.	19.0
90311129	M8 x 1.25	13.0	5.0 max.	20.0
90311130	M8 x 1.25	13.0	5.0 max.	25.0
90311131	M8 x 1.25	13.0	5.0 max.	30.0
90311132	M8 x 1.25	13.0	5.0 max.	35.0
90311133	M8 x 1.25	13.0	5.0 max.	50.0
90311134	M8 x 1.25	13.0	5.0 max.	70.0
90311135	M10 x 1.5	15.6	6.0 max.	13.0
90311136	M10 x 1.5	15.6	6.0 max.	16.0
90311137	M10 x 1.5	15.6	6.0 max.	19.0
90311138	M10 x 1.5	15.6	6.0 max.	20.0
90311139	M10 x 1.5	15.6	6.0 max.	25.0
90311140	M10 x 1.5	15.6	6.0 max.	30.0
90311141	M10 x 1.5	15.6	6.0 max.	35.0
90311142	M10 x 1.5	15.6	6.0 max.	50.0
90311143	M10 x 1.5	15.6	6.0 max.	70.0

PLASTIC SCREWS

Metric Slotted HEX Machine Screws


Material: Nylon 66
Standard Color: Natural/Black



Part-no.	Thread size	A(mm)	B(mm)	L(mm)
90312001	M3 x 0.5	4.82~5.0	2.0~2.3	3.0
90312002	M3 x 0.5	4.82~5.0	2.0~2.3	4.0
90312003	M3 x 0.5	4.82~5.0	2.0~2.3	5.0
90312004	M3 x 0.5	4.82~5.0	2.0~2.3	6.0
90312005	M3 x 0.5	4.82~5.0	2.0~2.3	8.0
90312006	M3 x 0.5	4.82~5.0	2.0~2.3	10.0
90312007	M3 x 0.5	4.82~5.0	2.0~2.3	12.0
90312008	M3 x 0.5	4.82~5.0	2.0~2.3	16.0
90312009	M3 x 0.5	4.82~5.0	2.0~2.3	20.0
90312010	M3 x 0.5	4.82~5.0	2.0~2.3	25.0
90312011	M3 x 0.5	4.82~5.0	2.0~2.3	30.0
90312012	M3 x 0.5	4.82~5.0	2.0~2.3	35.0
90312013	M3 x 0.5	4.82~5.0	2.0~2.3	42.0
90312014	M3 x 0.6	5.32~5.5	2.3~2.6	5.0
90312015	M3 x 0.6	5.32~5.5	2.3~2.6	6.0
90312016	M3 x 0.6	5.32~5.5	2.3~2.6	7.0
90312017	M3 x 0.6	5.32~5.5	2.3~2.6	8.0
90312018	M3 x 0.6	5.32~5.5	2.3~2.6	10.0
90312019	M3 x 0.6	5.32~5.5	2.3~2.6	12.0
90312020	M3 x 0.6	5.32~5.5	2.3~2.6	16.0
90312021	M3 x 0.6	5.32~5.5	2.3~2.6	20.0
90312022	M3 x 0.6	5.32~5.5	2.3~2.6	25.0
90312023	M3 x 0.6	5.32~5.5	2.3~2.6	35.0
90312024	M3 x 0.6	5.32~5.5	2.3~2.6	42.0
90312025	M4 x 0.7	6.78~7.0	2.6~3.0	3.0
90312026	M4 x 0.7	6.78~7.0	2.6~3.0	6.0
90312027	M4 x 0.7	6.78~7.0	2.6~3.0	8.0
90312028	M4 x 0.7	6.78~7.0	2.6~3.0	10.0
90312029	M4 x 0.7	6.78~7.0	2.6~3.0	12.0
90312030	M4 x 0.7	6.78~7.0	2.6~3.0	16.0
90312031	M4 x 0.7	6.78~7.0	2.6~3.0	20.0
90312032	M4 x 0.7	6.78~7.0	2.6~3.0	25.0
90312033	M4 x 0.7	6.78~7.0	2.6~3.0	30.0
90312034	M4 x 0.7	6.78~7.0	2.6~3.0	35.0
90312035	M4 x 0.7	6.78~7.0	2.6~3.0	40.0
90312036	M5 x 0.8	7.78~8.0	3.3~3.8	6.0
90312037	M5 x 0.8	7.78~8.0	3.3~3.8	8.0
90312038	M5 x 0.8	7.78~8.0	3.3~3.8	10.0
90312039	M5 x 0.8	7.78~8.0	3.3~3.8	12.0
90312040	M5 x 0.8	7.78~8.0	3.3~3.8	15.0
90312041	M5 x 0.8	7.78~8.0	3.3~3.8	16.0
90312042	M5 x 0.8	7.78~8.0	3.3~3.8	20.0
90312043	M5 x 0.8	7.78~8.0	3.3~3.8	25.0
90312044	M5 x 0.8	7.78~8.0	3.3~3.8	30.0
90312045	M5 x 0.8	7.78~8.0	3.3~3.8	35.0
90312046	M5 x 0.8	7.78~8.0	3.3~3.8	40.0

Metric Slotted HEX Machine Screws

Material: Nylon 66
Standard Color: Natural/Black



Part-no.	Thread size	A(mm)	B(mm)	L(mm)
90312047	M6 x 1.0	9.78~10.0	4.17~4.7	5.0
90312048	M6 x 1.0	9.78~10.0	4.17~4.7	8.0
90312049	M6 x 1.0	9.78~10.0	4.17~4.7	10.0
90312050	M6 x 1.0	9.78~10.0	4.17~4.7	12.0
90312051	M6 x 1.0	9.78~10.0	4.17~4.7	16.0
90312052	M6 x 1.0	9.78~10.0	4.17~4.7	20.0
90312053	M6 x 1.0	9.78~10.0	4.17~4.7	22.0
90312054	M6 x 1.0	9.78~10.0	4.17~4.7	25.0
90312055	M6 x 1.0	9.78~10.0	4.17~4.7	30.0
90312056	M6 x 1.0	9.78~10.0	4.17~4.7	35.0
90312057	M6 x 1.0	9.78~10.0	4.17~4.7	40.0
90312058	M6 x 1.0	9.78~10.0	4.17~4.7	45.0
90312059	M6 x 1.0	9.78~10.0	4.17~4.7	50.0
90312060	M6 x 1.0	9.78~10.0	4.17~4.7	60.0
90312061	M6 x 1.0	9.78~10.0	4.17~4.7	70.0
90312062	M6 x 1.0	9.78~10.0	4.17~4.7	75.0
90312063	M8 x 1.25	12.72~13.0	5.2~6.0	13.0
90312064	M8 x 1.25	12.72~13.0	5.2~6.0	16.0
90312065	M8 x 1.25	12.72~13.0	5.2~6.0	19.0
90312066	M8 x 1.25	12.72~13.0	5.2~6.0	20.0
90312067	M8 x 1.25	12.72~13.0	5.2~6.0	25.0
90312068	M8 x 1.25	12.72~13.0	5.2~6.0	30.0
90312069	M8 x 1.25	12.72~13.0	5.2~6.0	35.0
90312070	M8 x 1.25	12.72~13.0	5.2~6.0	50.0
90312071	M8 x 1.25	12.72~13.0	5.2~6.0	70.0
90312072	M10 x 1.5	15.73~16.0	6.5~7.5	13.0
90312073	M10 x 1.5	15.73~16.0	6.5~7.5	16.0
90312074	M10 x 1.5	15.73~16.0	6.5~7.5	19.0
90312075	M10 x 1.5	15.73~16.0	6.5~7.5	20.0
90312076	M10 x 1.5	15.73~16.0	6.5~7.5	25.0
90312077	M10 x 1.5	15.73~16.0	6.5~7.5	30.0
90312078	M10 x 1.5	15.73~16.0	6.5~7.5	35.0
90312079	M10 x 1.5	15.73~16.0	6.5~7.5	50.0
90312080	M10 x 1.5	15.73~16.0	6.5~7.5	70.0




PLASTIC SCREWS

Metric HEX Head Machine Screws

Material: Nylon 66

Standard Color: Natural/Black




Part-no.	Thread size	A(mm)	B(mm)	L(mm)
90313001	M3 x 0.5	4.82~5.0	1.3~2.3	3.0
90313002	M3 x 0.5	4.82~5.0	1.3~2.3	4.0
90313003	M3 x 0.5	4.82~5.0	1.3~2.3	5.0
90313004	M3 x 0.5	4.82~5.0	1.3~2.3	6.0
90313005	M3 x 0.5	4.82~5.0	1.3~2.3	8.0
90313006	M3 x 0.5	4.82~5.0	1.3~2.3	10.0
90313007	M3 x 0.5	4.82~5.0	1.3~2.3	12.0
90313008	M3 x 0.5	4.82~5.0	1.3~2.3	16.0
90313009	M3 x 0.5	4.82~5.0	1.3~2.3	20.0
90313010	M3 x 0.5	4.82~5.0	1.3~2.3	25.0
90313011	M3 x 0.5	4.82~5.0	1.3~2.3	30.0
90313012	M3 x 0.5	4.82~5.0	1.3~2.3	35.0
90313013	M3 x 0.5	4.82~5.0	1.3~2.3	42.0
90313014	M3.5 x 0.6	5.32~5.5	2.3~2.6	5.0
90313015	M3.5 x 0.6	5.32~5.5	2.3~2.6	6.0
90313016	M3.5 x 0.6	5.32~5.5	2.3~2.6	7.0
90313017	M3.5 x 0.6	5.32~5.5	2.3~2.6	8.0
90313018	M3.5 x 0.6	5.32~5.5	2.3~2.6	10.0
90313019	M3.5 x 0.6	5.32~5.5	2.3~2.6	12.0
90313020	M3.5 x 0.6	5.32~5.5	2.3~2.6	16.0
90313021	M3.5 x 0.6	5.32~5.5	2.3~2.6	20.0
90313022	M3.5 x 0.6	5.32~5.5	2.3~2.6	25.0
90313023	M3.5 x 0.6	5.32~5.5	2.3~2.6	35.0
90313024	M3.5 x 0.6	5.32~5.5	2.3~2.6	42.0
90313025	M4 x 0.7	6.78~7.0	2.6~3.0	3.0
90313026	M4 x 0.7	6.78~7.0	2.6~3.0	6.0
90313027	M4 x 0.7	6.78~7.0	2.6~3.0	8.0
90313028	M4 x 0.7	6.78~7.0	2.6~3.0	10.0
90313029	M4 x 0.7	6.78~7.0	2.6~3.0	12.0
90313030	M4 x 0.7	6.78~7.0	2.6~3.0	16.0
90313031	M4 x 0.7	6.78~7.0	2.6~3.0	20.0
90313032	M4 x 0.7	6.78~7.0	2.6~3.0	25.0
90313033	M4 x 0.7	6.78~7.0	2.6~3.0	30.0
90313034	M4 x 0.7	6.78~7.0	2.6~3.0	35.0
90313035	M4 x 0.7	6.78~7.0	2.6~3.0	40.0
90313036	M5 x 0.8	7.78~8.0	3.3~3.8	6.0
90313037	M5 x 0.8	7.78~8.0	3.3~3.8	8.0
90313038	M5 x 0.8	7.78~8.0	3.3~3.8	10.0
90313039	M5 x 0.8	7.78~8.0	3.3~3.8	12.0
90313040	M5 x 0.8	7.78~8.0	3.3~3.8	15.0
90313041	M5 x 0.8	7.78~8.0	3.3~3.8	16.0
90313042	M5 x 0.8	7.78~8.0	3.3~3.8	20.0
90313043	M5 x 0.8	7.78~8.0	3.3~3.8	25.0
90313044	M5 x 0.8	7.78~8.0	3.3~3.8	30.0
90313045	M5 x 0.8	7.78~8.0	3.3~3.8	35.0
90313046	M5 x 0.8	7.78~8.0	3.3~3.8	40.0

Metric HEX Head Machine Screws

Material: Nylon 66

Standard Color: Natural/Black




Part-no.	Thread size	A(mm)	B(mm)	L(mm)
90313043	M6 x 1.0	9.78~10.0	4.17~4.7	5.0
90313044	M6 x 1.0	9.78~10.0	4.17~4.7	8.0
90313045	M6 x 1.0	9.78~10.0	4.17~4.7	10.0
90313046	M6 x 1.0	9.78~10.0	4.17~4.7	12.0
90313047	M6 x 1.0	9.78~10.0	4.17~4.7	16.0
90313048	M6 x 1.0	9.78~10.0	4.17~4.7	20.0
90313049	M6 x 1.0	9.78~10.0	4.17~4.7	22.0
90313050	M6 x 1.0	9.78~10.0	4.17~4.7	25.0
90313051	M6 x 1.0	9.78~10.0	4.17~4.7	30.0
90313052	M6 x 1.0	9.78~10.0	4.17~4.7	35.0
90313053	M6 x 1.0	9.78~10.0	4.17~4.7	40.0
90313054	M6 x 1.0	9.78~10.0	4.17~4.7	45.0
90313055	M6 x 1.0	9.78~10.0	4.17~4.7	50.0
90313056	M6 x 1.0	9.78~10.0	4.17~4.7	60.0
90313057	M6 x 1.0	9.78~10.0	4.17~4.7	70.0
90313058	M6 x 1.0	9.78~10.0	4.17~4.7	75.0
90313059	M8 x 1.25	12.73~13.0	5.2~6.0	13.0
90313060	M8 x 1.25	12.73~13.0	5.2~6.0	16.0
90313061	M8 x 1.25	12.73~13.0	5.2~6.0	19.0
90313062	M8 x 1.25	12.73~13.0	5.2~6.0	20.0
90313063	M8 x 1.25	12.73~13.0	5.2~6.0	25.0
90313064	M8 x 1.25	12.73~13.0	5.2~6.0	30.0
90313065	M8 x 1.25	12.73~13.0	5.2~6.0	35.0
90313066	M8 x 1.25	12.73~13.0	5.2~6.0	50.0
90313067	M8 x 1.25	12.73~13.0	5.2~6.0	70.0
90313068	M10 x 1.5	15.73~16.0	6.5~7.5	13.0
90313069	M10 x 1.5	15.73~16.0	6.5~7.5	16.0
90313070	M10 x 1.5	15.73~16.0	6.5~7.5	19.0
90313071	M10 x 1.5	15.73~16.0	6.5~7.5	20.0
90313072	M10 x 1.5	15.73~16.0	6.5~7.5	25.0
90313073	M10 x 1.5	15.73~16.0	6.5~7.5	30.0
90313074	M10 x 1.5	15.73~16.0	6.5~7.5	35.0
90313075	M10 x 1.5	15.73~16.0	6.5~7.5	50.0
90313076	M10 x 1.5	15.73~16.0	6.5~7.5	70.0
90313077	M4 x 0.7	6.78~7.0	2.6~3.0	12.0
90313078	M4 x 0.7	6.78~7.0	2.6~3.0	20.0
90313079	M4 x 0.7	6.78~7.0	2.6~3.0	25.0
90313080	M4 x 0.7	6.78~7.0	2.6~3.0	30.0
90313081	M4 x 0.7	6.78~7.0	2.6~3.0	35.0
90313082	M4 x 0.7	6.78~7.0	2.6~3.0	40.0
90313083	M4 x 0.7	6.78~7.0	2.6~3.0	50.0
90313084	M4 x 0.7	6.78~7.0	2.6~3.0	60.0

PLASTIC SCREWS

Metric Socket Head Cap Screws

Material: Nylon 66

Standard Color: Natural/Black




Part-no.	Thread size	A(inch)	B(inch)	L(inch)
90314001	#4 - 40	0.176~0.183	0.108~0.112	0.094
90314002	#4 - 40	0.176~0.183	0.108~0.112	0.125
90314003	#4 - 40	0.176~0.183	0.108~0.112	0.141
90314004	#4 - 40	0.176~0.183	0.108~0.112	0.187
90314005	#4 - 40	0.176~0.183	0.108~0.112	0.250
90314006	#4 - 40	0.176~0.183	0.108~0.112	0.375
90314007	#4 - 40	0.176~0.183	0.108~0.112	0.437
90314008	#4 - 40	0.176~0.183	0.108~0.112	0.500
90314009	#4 - 40	0.176~0.183	0.108~0.112	0.562
90314010	#4 - 40	0.176~0.183	0.108~0.112	0.625
90314011	#4 - 40	0.176~0.183	0.108~0.112	0.875
90314012	#4 - 40	0.176~0.183	0.108~0.112	1.000
90314013	#4 - 40	0.176~0.183	0.108~0.112	1.125
90314014	#4 - 40	0.176~0.183	0.108~0.112	1.375
90314015	#4 - 40	0.176~0.183	0.108~0.112	1.500
90314016	#6 - 32	0.218~0.226	0.134~0.138	0.156
90314017	#6 - 32	0.218~0.226	0.134~0.138	0.187
90314018	#6 - 32	0.218~0.226	0.134~0.138	0.250
90314019	#6 - 32	0.218~0.226	0.134~0.138	0.312
90314020	#6 - 32	0.218~0.226	0.134~0.138	0.375
90314021	#6 - 32	0.218~0.226	0.134~0.138	0.437
90314022	#6 - 32	0.218~0.226	0.134~0.138	0.500
90314023	#6 - 32	0.218~0.226	0.134~0.138	0.625
90314024	#6 - 32	0.218~0.226	0.134~0.138	0.687
90314025	#6 - 32	0.218~0.226	0.134~0.138	0.750
90314026	#6 - 32	0.218~0.226	0.134~0.138	0.875
90314027	#6 - 32	0.218~0.226	0.134~0.138	1.000
90314028	#6 - 32	0.218~0.226	0.134~0.138	1.125
90314029	#6 - 32	0.218~0.226	0.134~0.138	1.250
90314030	#6 - 32	0.218~0.226	0.134~0.138	1.500
90314031	#6 - 32	0.218~0.226	0.134~0.138	1.750
90314032	#6 - 32	0.218~0.226	0.134~0.138	1.875
90314033	#6 - 32	0.218~0.226	0.134~0.138	2.250
90314034	#6 - 40	0.218~0.226	0.134~0.138	0.250
90314035	#6 - 40	0.218~0.226	0.134~0.138	0.375
90314036	#6 - 40	0.218~0.226	0.134~0.138	0.750
90314037	#6 - 40	0.218~0.226	0.134~0.138	1.000



Metric Slotted Grub Machine Screws

Material: Nylon 66

Standard Color: Natural/Black




Part-no.	Thread size	A(mm)	B(mm)	L(mm)
90315001	M4 x 0.7	2.0	0.64	3.0
90315002	M4 x 0.7	2.0	0.64	6.0
90315003	M4 x 0.7	2.0	0.64	8.0
90315004	M4 x 0.7	2.0	0.64	10.0
90315005	M4 x 0.7	2.0	0.64	12.0
90315006	M4 x 0.7	2.0	0.64	16.0
90315007	M4 x 0.7	2.0	0.64	20.0
90315008	M4 x 0.7	2.0	0.64	25.0
90315009	M4 x 0.7	2.0	0.64	30.0
90315010	M4 x 0.7	2.0	0.64	35.0
90315011	M4 x 0.7	2.0	0.64	40.0
90315012	M5 x 0.8	3.3	0.89	6.0
90315013	M5 x 0.8	3.3	0.89	8.0
90315014	M5 x 0.8	3.3	0.89	10.0
90315015	M5 x 0.8	3.3	0.89	12.0
90315016	M5 x 0.8	3.3	0.89	15.0
90315017	M5 x 0.8	3.3	0.89	16.0
90315018	M5 x 0.8	3.3	0.89	20.0
90315019	M5 x 0.8	3.3	0.89	25.0
90315020	M5 x 0.8	3.3	0.89	30.0
90315021	M5 x 0.8	3.3	0.89	35.0
90315022	M5 x 0.8	3.3	0.89	40.0
90315023	M6 x 1.0	4.1	1.00	5.0
90315024	M6 x 1.0	4.1	1.00	8.0
90315025	M6 x 1.0	4.1	1.00	10.0
90315026	M6 x 1.0	4.1	1.00	12.0
90315027	M6 x 1.0	4.1	1.00	16.0
90315028	M6 x 1.0	4.1	1.00	20.0
90315029	M6 x 1.0	4.1	1.00	22.0
90315030	M6 x 1.0	4.1	1.00	25.0
90315031	M6 x 1.0	4.1	1.00	30.0
90315032	M6 x 1.0	4.1	1.00	35.0
90315033	M6 x 1.0	4.1	1.00	40.0
90315034	M6 x 1.0	4.1	1.00	45.0
90315035	M6 x 1.0	4.1	1.00	50.0
90315036	M6 x 1.0	4.1	1.00	60.0
90315037	M6 x 1.0	4.1	1.00	70.0
90315038	M6 x 1.0	4.1	1.00	75.0
90315039	M8 x 1.25	5.2	1.60	13.0
90315040	M8 x 1.25	5.2	1.60	16.0
90315041	M8 x 1.25	5.2	1.60	19.0
90315042	M8 x 1.25	5.2	1.60	20.0
90315043	M8 x 1.25	5.2	1.60	25.0
90315044	M8 x 1.25	5.2	1.60	30.0
90315045	M8 x 1.25	5.2	1.60	35.0
90315046	M8 x 1.25	5.2	1.60	50.0
90315047	M8 x 1.25	5.2	1.60	70.0
90315048	M8 x 1.5	6.6	1.50	13.0
90315049	M8 x 1.5	6.6	1.50	16.0
90315050	M8 x 1.5	6.6	1.50	19.0
90315051	M8 x 1.5	6.6	1.50	20.0
90315052	M8 x 1.5	6.6	1.50	25.0
90315053	M8 x 1.5	6.6	1.50	30.0
90315054	M8 x 1.5	6.6	1.50	35.0
90315055	M8 x 1.5	6.6	1.50	50.0
90315056	M8 x 1.5	6.6	1.50	60.0

PLASTIC NUTS

Hex Nuts


Material: Clear Polycarbonate (PC),
Black/Natural-Nylon 66(UL)



Part-no.	Thread size	A(inch)	B(inch)
90316001	#2 - 56	0.18	0.14
90316002	#4 - 40	0.25	0.18
90316003	#6 - 32	0.305	0.2
90316004	#8 - 32	0.335	0.23
90316005	#10 - 24	0.365	0.25
90316006	#10 - 32	0.365	0.25
Part-no.	Thread size	A(mm)	B(mm)
90316007	M2 x 0.4	3.9	1.20
90316008	M2.5 x 0.45	4.9	1.80
90316009	M3 x 0.5	5.4	2.20
90316010	M3.5 x 0.6	6.9	2.70
90316011	M4 x 0.7	6.9	3.00
90316012	M5 x 0.8	7.9	4.30
90316013	M6 x 1.0	10.0	5.40
90316014	M8 x 1.25	12.9	6.40
90316015	M10 x 1.5	14.8	9.80
90316016	M12 x 1.75	17.7	10.54

Cap Nut


Material: Clear Polycarbonate (PC),
Black/Natural-Nylon 66(UL)



Part-no.	Thread size	A(inch)	B(inch)
90316017	#4 - 40	0.25	0.28
90316018	#6 - 32	0.305	0.345
90316019	#8 - 32	0.33	0.375
90316020	#10 - 24	0.365	0.4
90316021	#10 - 32	0.365	0.4
Part-no.	Thread size	A(mm)	B(mm)
90316022	M4 x 0.7	7.0	8.00
90316023	M5 x 0.8	8.0	10.00
90316024	M6 x 1.0	10.0	12.00
90316025	M8 x 1.25	13.0	15.00
90316026	M10 x 1.5	17.0	18.00
90316027	M12 x 1.75	18.9	20.50
90316028	M16 x 2.0	23.7	24.80
90316029	M20 x 2.5	26.7	29.10

Wing Nut

Material: Clear Polycarbonate (PC),
Black/Natural-Nylon 66(UL)




Part-no.	A	B	C	H	Thread size
90316030	24.9	Ø10.0	6.0	12.0	M4 x 0.7
90316031	24.9	Ø10.0	6.0	12.0	M5 x 0.8
90316032	31.4	Ø11.5	8.0	15.7	M6 x 1.0
90316033	24.5	Ø10.0	6.0	12.0	#6 - 32WN
90316034	24.5	Ø10.0	6.0	12.0	#8 - 32WN
90316035	34.7	Ø16.3	7.9	15.7	#1/4 - 50WN

PLASTIC WASHER

Washer


Material: Clear Polycarbonate (PC),
Black/Natural-Nylon 66(UL)



Part-no.	A	B(Ømm)	C(Ømm)
90317001	0.50	4.50	2.10
90317002	0.50	4.50	2.60
90317003	0.50	4.60	2.50
90317004	0.50	4.70	2.60
90317005	0.50	5.00	2.20
90317006	0.50	5.00	2.50
90317007	0.50	5.00	2.60
90317008	0.50	5.00	3.00
90317009	0.50	5.00	3.10
90317010	0.50	5.00	3.20
90317011	0.50	5.00	3.50
90317012	0.50	5.60	3.10
90317013	0.50	5.60	4.80
90317014	0.50	6.00	2.10
90317015	0.50	6.00	3.10
90317016	0.50	6.00	3.20
90317017	0.50	6.00	3.60
90317018	0.50	6.00	4.10
90317019	0.50	6.00	4.30
90317021	0.50	6.50	2.98
90317022	0.50	6.50	3.50
90317023	0.50	6.50	4.10
90317024	0.50	7.00	2.50
90317025	0.50	7.00	4.20
90317026	0.50	7.00	5.10
90317027	0.50	7.00	3.10
90317028	0.50	7.50	4.80
90317029	0.50	7.80	3.20
90317030	0.50	8.00	3.10
90317031	0.50	8.00	4.10
90317032	0.50	8.00	5.00
90317033	0.50	8.00	5.10
90317034	0.50	8.80	6.00
90317036	0.50	8.80	4.00
90317037	0.50	8.80	5.20
90317038	0.50	9.00	4.50
90317039	0.50	9.00	6.10
90317040	0.50	10.00	3.10
90317041	0.50	10.00	4.10
90317042	0.50	10.00	5.10
90317043	0.50	10.00	5.20
90317044	0.50	10.00	5.50
90317045	0.50	10.00	6.10
90317046	0.50	10.00	6.40
90317047	0.50	10.40	7.20
90317048	0.50	10.50	6.60
90317049	0.50	10.80	7.20
90317050	0.50	11.00	5.00
90317051	0.50	11.60	7.60
90317052	0.50	12.00	3.60
90317053	0.50	12.00	5.20
90317054	0.50	12.00	6.00
90317055	0.50	12.00	7.30
90317056	0.50	12.00	8.00
90317058	0.50	13.00	9.50
90317059	0.50	13.00	7.95
90317060	0.50	13.00	8.00

Washer

Material: Clear Polycarbonate (PC),
Black/Natural-Nylon 66(UL)




Part-no.	A	B	C	For screw
90317061	0.8	Ø8.3	Ø3.2	#6 - 32
90317062	0.75	Ø6.7	Ø2.5	M3 x 0.5
90317063	0.6	Ø5.0	Ø2.5	M6 x 0.5
90317064	0.6	Ø8.3	Ø3.2	#6 - 32
90317065	1.0	Ø12.5	Ø3.6	M4 x 0.7

PLASTIC TUBE

Hex Threaded Tube

Material: Nylon 66

Standard Color: Natural/Black




Part-no.	A	B	C
90318001	6.35	5.5	M3
90318002	7.0	5.5	M3
90318003	8.0	5.5	M3
90318004	9.0	5.5	M3
90318005	10.0	5.5	M3
90318006	10.5	5.5	M3
90318007	11.0	5.5	M3
90318008	12.0	5.5	M3
90318009	12.8	5.5	M3
90318010	14.0	5.5	M3
90318011	15.0	5.5	M3
90318012	16.0	5.5	M3
90318013	17.0	5.5	M3
90318014	18.2	5.5	M3
90318015	20.1	5.5	M3
90318016	22.0	5.5	M3
90318017	24.0	5.5	M3
90318018	25.0	5.5	M3
90318019	26.3	5.5	M3
90318020	27.8	5.5	M3
90318021	30.0	5.5	M3
90318022	36.0	8.0	M4


Metric Female Threaded

Material: Nylon 66

Standard Color: Natural/Black



Part-no.	A	B	C	D	E	F
90318023	5.0	6.0	4.8	M3	M3	4.0
90318024	6.35	6.0	4.8	M3	M3	4.0
90318025	7.0	6.0	6.3	M3	M3	6.0
90318026	8.0	6.0	6.3	M3	M3	6.0
90318027	9.0	6.0	6.0	M3	M3	6.0
90318028	10.0	6.0	6.0	M3	M3	8.0
90318029	11.0	6.0	6.1	M3	M3	8.0
90318030	12.7	6.0	6.4	M3	M3	10.0
90318031	12.0	4.7	6.4	M3	M3	10.0
90318032	15.0	6.0	6.0	M3	M3	10.0
90318033	16.0	6.0	6.1	M3	M3	10.0
90318034	17.5	6.0	6.0	M3	M3	10.0
90318035	17.5	4.7	6.0	M3	M3	10.0
90318036	20.0	6.0	6.1	M3	M3	10.0
90318037	22.0	6.0	6.4	M3	M3	10.0
90318038	25.0	6.0	6.5	M3	M3	10.0
90318039	30.0	6.0	6.5	M3	M3	10.0
90318040	10.1	6.1	6.1	M4	M3	8.0
90318041	13.0	6.0	6.0	M4	M4	10.0
90318042	15.0	6.0	6.0	M4	M4	10.0
90318043	19.0	8.0	5.5	M4	M4	8.0
90318044	25.0	6.0	6.4	M4	M4	10.0
90318045	30.2	6.0	6.4	M4	M4	10.0
90318046	37.0	8.0	5.5	M4	M4	8.0
90318021	45.0	6.0	6.4	M4	M4	10.0




PLASTIC ANCHORS

Screw Anchors (Wall Plug)

Material: Nylon / PE

Standard Colors: Red/ Green/ Blue/ White/ Yellow

Expansion wall Plug (Conical Plug)





Part-no.	Anchor size	A Drill Dia.(mm)	Drill gauge	L Plug Length
90319001	5 mm	Ø5.0	#4/#6/#8	22mm
90319002	5.5 mm	Ø5.5	#6/#8/#10	34mm
90319003	7 mm	Ø7.0	#8/#10/#12/#14	40mm
90319004	10 mm	Ø10.0	#10/#12/#14/#16	50mm
90319005	11 mm	Ø11.0	#14/#16/#18/#20	55mm

Screw Fixing wall Plug (Masonry Drill)

Material: PE

Standard color: Green / White








Part-no.	A	B
90319006	25	Ø5.0
90319007	25	Ø5.5
90319008	25	Ø6.0
90319009	30	Ø6.0
90319010	38	Ø6.0
90319011	25	Ø6.5
90319012	38	Ø7.0
90319013	50	Ø7.5
90319014	25	Ø8.0
90319015	38	Ø8.0
90319016	50	Ø8.0
90319017	38	Ø10.0
90319018	50	Ø10.0
90319019	60	Ø10.0
90319020	60	Ø12.0
90319021	75	Ø12.0

Screw Anchors (Wall Plug)

Material: PE/PP/Nylon

Standard color: Black/ Grey/ White



Part-no.	A	B	C
90319022	5.0	6.0	4.8
90319023	6.35	6.0	4.8
90319024	7.0	6.0	6.3
90319025	8.0	6.0	6.3



Sugo Products
www.sugo.com.hk

SUGO INDUSTRIAL COMPANY LIMITED

THE 2ND FLOOR, UNITED DAILY NEWS CENTRE,
21 YUK YAT STREET, TO KWA WAN,
KOWLOON, HONG KONG SAR

TEL : +852 2790 1280

FAX : +852 2389 0688

E-MAIL : sales@sugo.com.hk